

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L24	21	compar\$5 with "cluster identifier"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 18:26
L25	12387	(707/3,5,6,10,102).CCLS.	USPAT; USOCR	OR	OFF	2007/12/06 18:20
L26	2	24 and 25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 18:20
L41	4	pugh-william.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 18:59
L42	11	henzinger-monika.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 18:59

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L24	21	compar\$5 with "cluster identifier"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 18:26
L25	12387	(707/3,5,6,10,102).CCLS.	USPAT; USOCR	OR	OFF	2007/12/06 18:20
L26	2	24 and 25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 18:20
S1	332	(plurality with records) and (document with identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 11:37
S2	44	S1 and (hash with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 11:37
S3	39	S2 and (document with (content or element or part))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 11:44
S4	25	S3 and (field with identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 11:46
S5	2	S4 not (ginter.inv.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:44

EAST Search History

S6	14	S3 not S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 12:34
S7	706	(document with identifier\$1) same field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 12:34
S8	230	S7 and (list same (document with (content or element or part or segment or portion)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:39
S9	0	S8 and (hash with function) same list	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 12:36
S10	0	S8 and ((hash with function) same list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 12:36
S11	0	S8 and ((hash with function) same (document with (content or element or part or segment or portion)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 12:37
S12	9	S8 and ((hash with function) same (content or element or part or segment or portion))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 12:39
S13	221	S8 not S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 12:39

EAST Search History

S14	99	S13 and (identifier with record\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 12:39
S15	92	S14 and (field with identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 12:40
S16	68	S15 not S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 12:41
S17	42	S16 and "document identifier"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 12:41
S18	708	(document with identifier\$1) same field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 16:27
S19	230	S18 and (list same (document with (content or element or part or segment or portion)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:40
S20	122	S19 and (extract\$3 with document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:40
S21	87	S20 and (classif\$3 or categor\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:40

EAST Search History

S22	31	S21 and (hash with (function or value))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:41
S23	60	S21 and (number with list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:41
S24	8	S22 not (ginter.inv.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:48
S26	33	S23 not S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:48
S28	688	(document with identifier\$1) and (extract\$3 with document) same (element or word or part)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 12:03
S29	187	S28 and ((classif\$6 or categor\$6 or cluster\$3) with (word or element or part))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 16:30
S30	119	S29 and (list with (word or part or element) same document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 16:30
S31	16	S30 and (hash with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 16:44

EAST Search History

S32	103	S30 not S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 16:44
S33	36	S32 and (extract with (word or element or part) same document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 16:45
S34	1032	("document identifier") and ((extract\$3 with element or word or part) same document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 12:05
S35	85	database with record same "document identifier"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 12:06
S36	23	S35 and (record with (word or term or element or part) same document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 12:31
S37	8	(hash with function) and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 12:30
S39	112	(hash with function) and (record with (word or term or element or part) same document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 12:31
S40	10	S39 and (record with "document identifier")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 12:31
S41	5	(("5745900") or ("6119124") or ("6240409") or ("6263348") or ("6505160")).PN.	USPAT; USOCR	OR	OFF	2006/01/13 16:11

EAST Search History

S42	147	((close\$2 or near\$2) with duplicat\$3) same document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 16:13
S43	7588	((close\$2 or near\$2) with duplicat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 16:30
S44	7588	S42 or S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 16:13
S45	193	S44 and (filter\$3 with result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 16:14
S46	8	S45 and (compar\$3 with cluster)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 16:18
S47	15	(compar\$3 with "cluster identifier")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 16:18
S48	1	((close\$2 or near\$2) with duplicat\$3) and "cluster identifier"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 16:31
S49	46	duplicat\$3 and "cluster identifier"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 16:31

EAST Search History

S50	3	S49 and ((remov\$3 or delet\$3) with duplicate\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 16:32
S51	43	S49 not S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 16:43
S52	1	("6119124").PN.	USPAT; USOCR	OR	OFF	2006/01/13 16:43
S53	1	S52 and cluster	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 16:46
S54	0	S52 and cluster same identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 16:47
S55	0	S52 and identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 17:04
S56	48	document with ((near\$2 or close) with duplicate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 17:04
S57	10	S56 and fingerprint	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 17:05
S58	3927	generat\$3 with fingerprints	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:49

EAST Search History

S59	5	S58 and (((near\$2 or close\$2) with duplicate) same (document or object or file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:52
S60	5	S58 and (((near\$2 or close\$2 or almost) with duplicate) same (document or object or file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:52
S61	2115	(similar\$4 with documents) and (filter\$3 with (results or documents))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 18:38
S62	0	S61 and (compar\$3 with cluster with identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/03 19:06
S63	0	S61 and (compar\$3 same cluster with identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/03 19:07
S64	9	S61 and (cluster with identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/03 19:07
S65	47	compar\$3 with cluster with identifiers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 18:42
S66	0	S65 and ((similar\$4 with documents) and (filter\$3 with (results or documents)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 18:39

EAST Search History

S67	1	S65 and ((similar\$4 or near\$duplicate) with documents)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 18:40
S68	5	S65 and ((similar\$4 or near\$duplicate) with result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 18:40
S69	32	compar\$3 with cluster near2 identifiers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 12:24
S70	4	compar\$3 near cluster near2 identifiers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 12:34
S71	4	compar\$3 adj cluster near2 identifiers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 12:35
S72	16	compar\$3 with "cluster identifiers"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 13:06
S73	1112	filter with search with result	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 13:07
S74	0	S73 and (compar\$3 with "cluster identifier")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 13:07

EAST Search History

S75	0	S73 and (compar\$3 with identifier same cluster)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 13:08
S76	0	S73 and (compar\$3 same identifier same cluster)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 13:09
S77	64950	(plurality or multiple) with records	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 13:10
S78	59	(field with record\$1 same "document identifier")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 13:11
S79	34	S78 and ((extract\$3 or pars\$3) with document same (list or column))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 15:31
S80	1	S79 and (hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 13:14
S81	169	records same ((extract\$3 or pars\$3) with document same (list or column))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 16:29
S82	23	S81 and hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 15:32

EAST Search History

S83	127	records same ((extract\$3 or pars\$3) with document same list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 16:49
S84	60	S83 and (document with element)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 16:30
S85	34	S84 and (lists with elements)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 16:31
S86	45	S83 and (document with identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 16:55
S87	10	S83 and (document with identifier) same field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 17:05
S88	35	S86 not S87	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 17:02
S89	593	lists with (terms words sentences characters paragraphs sections) with document same (extract\$3 or pars\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 17:04
S90	408	lists with (terms words sentences characters paragraphs sections) with (document same (extract\$3 or pars\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 17:38

EAST Search History

S91	1	S90 and (document with identifier) with field same record	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 17:35
S92	5	S90 and (document with identifier) with field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 17:29
S93	96	S90 and (document with identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 17:35
S94	1	S90 and (document with identifier) same (field with record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 17:35
S95	2	S90 and (document with identifier) same (field same record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 17:39
S96	152	columns with (terms words sentences characters paragraphs sections) with (document same (extract\$3 or pars\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 19:08
S97	2	S96 and (document with identifier) same (field same record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 17:41
S98	4	S96 and (document with identifier) same field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 18:03

EAST Search History

S99	32	S96 and (document with identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 17:42
S100	28	S99 not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 17:42
S101	2322	columns with ((extract\$3 or pars\$3) with (terms words sentences characters paragraphs sections))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 18:12
S102	5	S101 and (document with identifier) same field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 18:04
S103	2317	S101 not S102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 18:04
S104	24	S103 and (document with identifier) same column	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 18:05
S105	2293	S103 not S104	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 18:05
S106	19	S105 and (document with identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 18:06

EAST Search History

S10 7	60	columns near4 ((extract\$3 or pars\$3) near3 (terms words sentences characters paragraphs sections)) same document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 18:13
S10 8	54	columns near4 ((extract\$3 or pars\$3) near2 (terms words sentences characters paragraphs sections)) same document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 18:14
S10 9	30	columns near3 ((extract\$3 or pars\$3) near2 (terms words sentences characters paragraphs sections)) same document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 18:15
S11 0	2	S109 and (document with identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 18:14
S11 1	18	columns near4 ((extract\$3 or pars\$3) near2 (terms words sentences characters paragraphs sections)) same document same identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 18:16
S11 2	30	S109 not S111	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 18:20
S11 3	90	record with (document with identifier) with (terms words sentences characters paragraphs sections)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 18:31
S11 4	4	S113 and (field with "document identifier")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 18:22

EAST Search History

S11 5	44	S113 and field with (terms words sentences characters paragraphs sections)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 18:25
S11 6	46	S113 not S115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 19:06
S11 7	11	hash\$3 near3 (terms words sentences characters paragraphs sections) with (document same (extract\$3 or pars\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 19:11
S11 8	2085	hash\$3 near3 (terms words sentences characters paragraphs sections)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 19:11
S11 9	162	hash\$3 near3 (terms words sentences characters paragraphs sections) same record	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 19:11
S12 0	28	S119 and (organiz\$3 cluster\$3 group\$3) with hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 19:13



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#)
Search: The ACM Digital Library The Guide
 +duplicate +compare +"cluster identifier"

THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [Satisfaction](#)

Terms used: **duplicate compare cluster identifier**

Found 7

Sort results relevance



Save results to a Binder

Search Tips

Try an [Advanced Search](#)

Try this search in [The AC](#)

Display results expanded form



Open results in a new window

Results 1 - 7 of 7

Relevance scale

1 [Generation and search of clustered files](#)

G. Salton, A. Wong

December 1978 **ACM Transactions on Database Systems (TODS)**, Volume 3

4

Publisher: ACM Press

Full text available: [pdf\(1.78 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

A classified, or clustered file is one where related, or similar records are grouped into classes, or clusters of items in such a way that all items within a cluster are jointly retrievable. Clustered files are easily adapted to broad and narrow search strategies, and simple file updating methods are available. An inexpensive file clustering method applicable to large files is given together with appropriate search methods. An abstract model is then introduced to predict the retrieval

Keywords: automatic classification, cluster searching, clustered files, fast classification, file organization, probabilistic models

2 [Status report of the graphic standards planning committee](#)

Computer Graphics staff

August 1979 **ACM SIGGRAPH Computer Graphics**, Volume 13 Issue 3

Publisher: ACM Press

Full text available: [pdf\(15.01 MB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#)

3 [Intersecting solids on a massively parallel processor](#)

Michael Karasick, David Strip

January 1995 **ACM Transactions on Graphics (TOG)**, Volume 14 Issue 1

Publisher: ACM Press

Full text available:  pdf(2.36 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [terms](#), [review](#)

Solid modeling underlies many technologies that are key to modern manufac
These range from CAD systems to robot simulators, from finite-element anal
integrated circuit process modeling. The accuracy, and hence the utility, of th
models is often constrained by the amount of computer time required to perf
the desired operations. In this paper we present, in detail, an efficient algoril
for parallel intersections of solids using the Connection Machine, a massively
paralle ...

Keywords: CAGD, grid data, hierarchical descriptions, spline surfaces, tensc
product

- 4 [HyPursuit: a hierarchical network search engine that exploits content-link hypertext clustering](#)

 Ron Weiss, Bienvenido Vélez, Mark A. Sheldon

March 1996 **Proceedings of the the seventh ACM conference on Hypertext HYPERTEXT '96**

Publisher: ACM Press

Full text available:  pdf(2.00 MB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

- 5 [A hybrid handover protocol for local area wireless ATM networks](#)

Chai-Keong Toh

December 1996 **Mobile Networks and Applications**, Volume 1 Issue 3

Publisher: Kluwer Academic Publishers

Full text available:  pdf(960.44 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

While handovers of voice calls in a wide area mobile environment are well
understood, handovers of multi-media traffic in a local area mobile environm
still in its early stage of investigation. Unlike the public wireless networks,
handovers for multi-media Wireless LANs (WLANS) have special requirement:
this paper, the problems and challenges faced in a multi-media WLAN enviro
are outlined and a multi-tier wireless cell clustering architecture is introduced.
Design issues for ...

- 6 [Posters: Clustering short texts using wikipedia](#)

 Somnath Banerjee, Krishnan Ramanathan, Ajay Gupta

July 2007 **Proceedings of the 30th annual international ACM SIGIR conference on Research and development in information retrieval SIGIR '07**

Publisher: ACM Press

Full text available:  pdf(234.85 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Subscribers to the popular news or blog feeds (RSS/Atom) often face the problem of information overload as these feed sources usually deliver large number of items periodically. One solution to this problem could be clustering similar items in the feed reader to make the information more manageable for a user. Clustering at the feed reader end is a challenging task as usually only a small part of the actual article is received through the feed. In this paper, we propose a method to impr ...

Keywords: Wikipedia, clustering, feed reader

7 Clustering transactions using large items

Ke Wang, Chu Xu, Bing Liu

November 1999 **Proceedings of the eighth international conference on Information and knowledge management CIKM '99**

Publisher: ACM Press

Full text available: [pdf\(928.33 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In traditional data clustering, similarity of a cluster of objects is measured by pairwise similarity of objects in that cluster. We argue that such measures are appropriate for transactions that are sets of items. We propose the notion of large items, i.e., items contained in some minimum fraction of transactions in a cluster to measure the similarity of a cluster of transactions. The intuition of our clustering criterion is that there should be many large items withi ...

Results 1 - 7 of 7

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [RealPlayer](#)



[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#)
[Cart](#)

Welcome United States Patent and Trademark
Office

Search Results

[BROWSE](#) [SEARCH](#) [IEEE XPLORE GUIDE](#)

Results for "((compare <near> 'cluster identifier')<in>metadata)"

Your search matched **1 of 1700278** documents.

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.



» **Search Options**

[View Session History](#)
[New Search](#)

» **Key**

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((compare <near> 'cluster identifier')<in>metadata)

Check to search only within this results set

Display Format: Citation Citation & Abstract

[IEEE/IET](#)

[Books](#)

[Educational Courses](#)

A

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and standards.

[view selected items](#)

[Select All](#) [Deselect All](#)

- 1. Identification of wafer defect clusters using a self-multilayer perceptron**
 Chenn-Jung Huang;
Neural Information Processing, 2002. ICONIP '02. Proc 9th International Conference on
Volume 2, 18-22 Nov. 2002 Page(s):839 - 843 vol.2
AbstractPlus | Full Text: PDF(514 KB) IEEE CNF Rights and Permissions

[Help](#) [Co](#)

Indexed by
 Inspec®

© Copyri

Home | Login | Logout | Access Information | Alerts
| Cart |

Welcome United States Patent and Trademark
Office




Search Results

BROWSE SEARCH IEEE XPLORE
GUIDE

Results for "((compare <paragraph> 'cluster identifier')<in>metadata)"

Your search matched **1 of 1700278** documents.

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.



» **Search Options**

[View Session History](#)
[New Search](#)

» **Key**

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((compare <paragraph> 'cluster identifier')<in>metadata)

Check to search only within this results set

Display Format: Citation Citation & Abstract

IEEE/IET

Books

Educational Courses

A

Interactive online content developed from IEEE conference t

[view selected items](#)

[Select All](#) [Deselect All](#)

1. Identification of wafer defect clusters using a self-multilayer perceptron
Chenn-Jung Huang;
Neural Information Processing, 2002. ICONIP '02. Proc.
9th International Conference on
Volume 2, 18-22 Nov. 2002 Page(s):839 - 843 vol.2
AbstractPlus | Full Text: PDF(514 KB) IEEE CNF
Rights and Permissions

[Help](#) [Co](#)

Indexed by
Inspec®

© Copyright

Google

(candidate WITH result) WITH ((compare or co

[Advanced Search](#)
[Preferences](#)

Try uppercase "OR" to search for either of two terms. [\[details\]](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Scholar Results 1 --10 of about 79 for (candidate WITH result) WITH ((compare or c

Scholarly articles for (candidate WITH result) WITH ((compare or comparing) WITH "cluster identifier") and (duplicate WITH document)



[Detecting duplicate and near-duplicate files](#) - Pugh - Cited by 9

[A Multiple Model Approach to Personalised Information Access](#) - Mc Gowan - Cited by 7

Detecting duplicate and near-duplicate files - US Patent 6658423

c) determining whether or not documents are near-duplicate documents based on ... i) comparing a cluster identifier of the candidate search result with that ...

[www.patentstorm.us/patents/6658423-claims.html](#) - 32k -

[Cached](#) - [Similar pages](#)

Detecting duplicate and near-duplicate files - Patent 6658423

i) comparing a cluster identifier of the candidate search result with that of One important application of near-duplicate document detection is in the ...

[www.freepatentsonline.com/6658423.html](#) - 95k - [Cached](#) - [Similar pages](#)

Method and apparatus for storing data with reduced redundancy ...

The method of claim 28 including the step of: checking for **duplicate** subblocks by This **comparison** can be performed without accessing the index, ...

[www.freepatentsonline.com/20060282457.html](#) - 89k -

[Cached](#) - [Similar pages](#)

[[More results from www.freepatentsonline.com](#)]

[PDF] The Evolution of Web Content and Search Engines

File Format: PDF/Adobe Acrobat - [View as HTML](#)

uses the whole text of the **documents** for **comparison** and. does not associate a fingerprint to the **documents**, improv-. ing the precision of the **results**. ...

webmining.spd.louisville.edu/webkdd06/papers/paper-7-The%20evolution%20of%20Web-Alvaro-Baeza-Final.pdf - [Similar pages](#)

HON-P2P: A Cluster-based Hybrid Overlay Network for Multimedia ...

documents using a hash code based on its properties (name,.. size, keyword, etc.). used to carry semantic **comparison** between peer and super ...

doi.ieeecomputersociety.org/10.1109/ICPADS.2005.166 - [Similar pages](#)

[PDF] C:/Documents and Settings/Bugra/Desktop/My Research/PhD/Thesis ...

File Format: PDF/Adobe Acrobat

Comparison of analytical messaging cost with simulation **results**

cluster identifier. The cluster head nodes are marked with a circle. ...

www.bugragedik.com/personal/

research/papers/gedik_bugra_200608_phd.pdf - [Similar pages](#)

Identification of Preferentially Expressed mRNAs in Retina and Cochlea

Comparison with the published sequence of the human ASIC3. gene revealed that the 111-bp fragment ... AI627924, belonging to the UniGene **cluster identifier** ...

www.liebertonline.com/doi/pdf/10.1089/104454902320908432 -

[Similar pages](#)

[PDF] Abstract

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The **result** viewing component applied linear regression. analysis to **compare** the output from DMA (A) with the actual dehalogenation rates (T), ...

<https://idea.iupui.edu/dspace/bitstream/1805/322/1/Linyong%20Mao.pdf> - [Similar pages](#)

Public Understanding of Science

predicting opinions about specific gene technologies were "**candidate** Human Genome Project but more likely to be supportive of GM foods in **comparison** to ...

pus.sagepub.com/cgi/reprint/15/1/55.pdf - [Similar pages](#)

[PDF] Getting Started with SAS Enterprise Miner 5.2

File Format: PDF/Adobe Acrobat

The **cluster identifier** for each observation can be passed to other The **comparison** is based on the. expected profit that would **result** from ... support.sas.com/documentation/onlinedoc/miner/getstarted.pdf -

[Similar pages](#)